

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 22/02/2021 Version: 11.2

Generated : 22/02/2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1. Product identifier**

Product form	: Mixture
Trade name	: FLOOR POLISH REMOVER - RINSE FREE
UFI	: S2HF-X0F7-6001-64AM
Product code	: BD090-5
Type of product	: Detergent

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture : Professional use

: For professional use only

: Floor cleaner / floor polish

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

JANGRO LIMITED JANGRO HOUSE WORSLEY ROAD FARNWORTH BOLTON LANCASHIRE BL4 9LU UNITED KINGDOM

### JANGRO LTD EUROPE 6-9 TRINITY STREET DUBLIN 2 D02 EY47 EIRE Tel: 01 617 7911

### **1.4. Emergency telephone number**

Mon to Fri 8.30am to 5.00pm - 01204 795955

Tel: 01 617 7911

### **SECTION 2: Hazards identification**

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1B	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

Hazard pictograms (CLP)



- : Danger
- : 2-aminoethanol; ethanolamine
- : H314 Causes severe skin burns and eye damage.

H336 - May cause drowsiness or dizziness.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	<ul> <li>P261 - Avoid breathing spray.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eye protection, protective gloves, protective clothing.</li> <li>P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water or shower.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P315 - Get immediate medical advice/attention.</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.</li> </ul>
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.

## 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

### Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-aminoethanol; ethanolamine substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	10 – 15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1B, H314
2-(2-ethoxyethoxy)ethanol (Ethyldiglycol) [DEGEE]	(CAS-No.) 111-90-0 (EC-No.) 203-919-7 (REACH-no) 01-2119475105-42	5 – 10	Eye Irrit. 2, H319
benzyl alcohol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38	5 – 10	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302
Sodium laurylether sulphate	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8 (REACH-no) 01-2119488639-16	1 – 5	Eye Dam. 1, H318 Skin Irrit. 2, H315

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	( 5 ≤C ≤ 100) STOT SE 3, H335
Sodium laurylether sulphate	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8 (REACH-no) 01-2119488639-16	( 5 ≤C < 10) Eye Irrit. 2, H319 ( 10 ≤C < 100) Eye Dam. 1, H318

Full text of H-statements: see section 16

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	<ul> <li>Get medical advice/attention if you feel unwell.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention.</li> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.</li> </ul>	
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>May cause respiratory irritation.</li> <li>Burns.</li> <li>Causes serious eye damage.</li> <li>Burns.</li> </ul>	
4.3. Indication of any immediate medical attention and special treatment needed		
Treat symptomatically.		

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Corrosive vapours.	
5.3. Advice for firefighters		

No additional information available

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders Protective equipment	: Use personal protective equipment as required.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		
	<ul><li>Collect spillage.</li><li>Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.</li></ul>	

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	<ul><li>Avoid contact with skin and eyes.</li><li>Do not eat, drink or smoke when using this product.</li></ul>	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible products Special rules on packaging	<ul> <li>Does not require any specific or particular technical measures.</li> <li>Keep container closed when not in use.</li> <li>Oxidizing agent. Strong acids.</li> <li>Keep only in original container.</li> </ul>	

7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-aminoethanol; ethanolamine (141-43-5)		
EU - Indicative Occupational Exposure Limit (IOEL	)	
Local name	2-Aminoethanol	
IOEL TWA	2.5 mg/m <sup>3</sup>	
IOEL TWA [ppm]	1 ppm	
IOEL STEL	7.6 mg/m <sup>3</sup>	
IOEL STEL [ppm]	3 ppm	
Notes	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	2-Aminoethanol [Ethanolamine]	
OEL TWA [1]	2.5 mg/m <sup>3</sup>	
OEL TWA [2]	1 ppm	
OEL STEL	7.6 mg/m <sup>3</sup>	
OEL STEL [ppm]	3 ppm	
Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2020	
United Kingdom - Occupational Exposure Limits		
Local name	2-Aminoethanol	
WEL TWA (OEL TWA) [1]	2.5 mg/m <sup>3</sup>	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	7.6 mg/m <sup>3</sup>	
WEL STEL (OEL STEL) [ppm]	3 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
	Daris 4 - 640	

Document generated @ 22/02/2021 14:22:36

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
2-aminoethanol; ethanolamine (141-43-5)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
8.1.2. Recommended monitoring procedures No additional information available		
8.1.3. Air contaminants formed No additional information available		
8.1.4. DNEL and PNEC No additional information available		
8.1.5. Control banding No additional information available		
8.2. Exposure controls		
8.2.1. Appropriate engineering controls No additional information available		
8.2.2. Personal protection equipment		
Personal protective equipment symbol(s):		
8.2.2.1. Eye and face protection		
Eye protection:		
Safety glasses. EN 166		
8.2.2.2. Skin protection		
Skin and body protection:		
Wear suitable protective clothing		
Hand protection:		
Chemical resistant gloves (according to European stand	dard EN 374 or equivalent). Nitrile rubber gloves	
Other skin protection Materials for protective clothing:		
Safety boots. PICM008		
8.2.2.3. Respiratory protection		
Respiratory protection:		
Not required for normal conditions of use		
8.2.2.4. Thermal hazards No additional information available		

### 8.2.3. Environmental exposure controls

No additional information available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	emical properties	
Physical state	: Liquid	
Appearance	: Liquid.	
Colour	: Blue.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: 12.5	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: ≥ 100 °C	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 1.016	
Solubility	: Soluble in water.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### **10.2. Chemical stability**

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological	information	
11.1 Information on toxicologic	al effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Document generated @ 22/02/2021 14:22:36		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: 12.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 12.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information
12.1. Toxicity
Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (chronic)
12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available
12.5. Results of PBT and vPvB assessment
No additional information available
12.6. Other adverse effects
No additional information available
SECTION 13: Disposal considerations
13.1. Waste treatment methods

No additional information available

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

14.1 UN number		
UN-No. (ADR) UN-No. (IMDG)	: UN 1760 : UN 1760	

Page 7 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

:

: 8

: 8

:

: 8

: 8

UN-No. (IATA)	: UN 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA)	<ul> <li>CORROSIVE LIQUID, N.O.S.</li> <li>CORROSIVE LIQUID, N.O.S.</li> <li>Corrosive liquid, n.o.s.</li> <li>UN 1760 CORROSIVE LIQUID, N.O.S. (2-AMINOETHANOL), 8, III, (E)</li> <li>UN 1760 CORROSIVE LIQUID, N.O.S. (2-AMINOETHANOL), 8, III</li> <li>UN 1760 Corrosive liquid, n.o.s., 8, III</li> </ul>
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 8 : 8

IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)
IATA Transport hazard class(es) (IATA) Danger labels (IATA)

	B
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA)	: III : III : III
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	<ul> <li>No</li> <li>No</li> <li>No supplementary information available</li> </ul>
14.6. Special precautions for user	
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN

### Document generated @ 22/02/2021 14:22:36

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vehicle for tank carriage	: AT	
Transport category (ADR)	: 3	
Special provisions for carriage - Packages (ADR)	: V12	
Hazard identification number (Kemler No.)	: 80	
Orange plates	:	80
		760
Tunnel restriction code (ADR)	: E	
EAC code	: 2X	
APP code	: B	
Transport by sea		
Special provisions (IMDG)	: 223, 2	74
Limited quantities (IMDG)	: 5 L	
Excepted quantities (IMDG)	: E1	
Packing instructions (IMDG)	: P001,	LP01
IBC packing instructions (IMDG)	: IBC03	;
Tank instructions (IMDG)	: T7	
Tank special provisions (IMDG)	: TP1, T	FP28
EmS-No. (Fire)	: F-A	
EmS-No. (Spillage)	: S-B	
Stowage category (IMDG)	: A	
Air transport		
PCA Excepted quantities (IATA)	: E1	
PCA Limited quantities (IATA)	: Y841	
PCA limited quantity max net quantity (IATA)	: 1L	
PCA packing instructions (IATA)	: 852	
PCA max net quantity (IATA)	: 5L	
CAO packing instructions (IATA)	: 856	
CAO max net quantity (IATA)	: 60L	
Special provisions (IATA)	: A3	
ERG code (IATA)	: 8L	

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code

: Not applicable.

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	%
anionic surfactants	<5%
METHYLCHLOROISOTHIAZOLINONE	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 15.1.2. National regulations

### **United Kingdom**

**British National Regulations** 

 Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
 Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.
 Detergent Regulation (648/2004/EC).

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H336	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.