SAFETY DATA SHEET

according to 1907/2006/EC

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

JohnsonDiversey JohnsonDiversey UK Limited

Weston Favell Centre Northampton NN3 8PD Tel 01604 405311 Fax 01604 406809 Emergency Call 0800 052 0185

E-Mail: MSDSinfoUK@johnsondiversey.com

Clearance Code R60656

TASKI SPRINT 200 CONC E1a Professional cleaning/maintenance product for building care

Product Code MSDS6667

TO:

2. HAZARDS IDENTIFICATION

Irritant - irritating to eyes. Vapours may cause drowsiness and dizziness. This product contains a material with an WEL published in HSE document EH40.

COMPOSITION / INFORMATION ON INGREDIENTS.

CAS No	EINECS No			
67-63-0	200-661-7	Propan-2-ol (WEL)	Xi, F: R11-36-67	(15-30%)
85711-69-9	288-330-3	Sulfonic acids, C ₁₃₋₁₇ -sec-alkane, Sodium salts	Xi: R38-41	(5-15%)
69011-36-5	polymer	Alkyl alcohol ethoxylate	Xn, Xi: R22-41	(<5%)
5989-27-5	227-813-5	Ethanol (WEL)	F: R11	(<5%)

Ingredients according to EC 648/2004: 5% to 15% : Anionic surfactants Less than 5% : Nonionic surfactants

Perfumes, Coumarin, Citronellol, Benzyl salicylate, Eugenol, Limonene, Linalool.

Full text of risk phrases are given in section 16.

4. FIRST AID MEASURES

Eyes: Rinse immediately with plenty of water, holding the eyelids open and seek medical advice.

Inhalation: Remove from source of exposure.

Skin: Wash thoroughly.

Ingestion: Remove product from mouth, give the casualty a small quantity of water to drink and seek medical advice. Do not induce vomiting.

5. FIRE FIGHTING MEASURES

NON FLAMMABLE - In the event of a fire due to other causes the product is compatible with water, foam, carbon dioxide and dry powder extinguishers. May evolve toxic fumes if involved in a fire. Firefighters should wear self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Hose away with plenty of water diluting to at least 2.5% w/v (25 g/litre) unless this would contaminate a water course or vegetation, in which case either collect, dilute as earlier and pour down wastewater drain (foul sewer) or absorb onto dry sand or similar material and dispose of to a licensed waste management company.

7. HANDLING & STORAGE

Avoid contact with eyes. Rinse and dry hands after use, for prolonged contact protection of the hands may be necessary. Do not mix with any other chemicals other than as advised by your JohnsonDiversey representative.

Store upright in original closed containers in a cool place.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Hand: Personal protection is not normally required unless a risk assessment indicates the need for it.

Eyes: Personal protection is not normally required unless a risk assessment indicates the need for it.

Skin: Personal protection is not normally required unless a risk assessment indicates the need for it.

Respiration: Personal protection is not normally required unless a risk assessment indicates the need for it.

Date: 19/05/2010 Revision Number: 1.02 Page: 1 of 3

Product Name TASKI SPRINT 200 CONC E1a Product Code MSDS6667

WEL: Propan-2-ol, (Isopropanol), (Isopropyl Alcohol) ref. HSE publication EH40

W.E.L. 1250 mg/cu.m 15 min ref timeW.E.L. 999 mg/cu.m 8 hour TWA

Ethanol, (Methylated Spirits), (I.M.S) W.E.L. 1920 mg/cu.m 8 hour TWA

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance: Clear Blue Liquid Odour: Slightly Perfumed

pH: 6.0 - 6.5 Solubility: Fully miscible with water.

Flash Point: 25°C Pensky M.cc This product with a

flashpoint between 21°C & 61°C does

not support combustion.

Density: 0.97 g/cm³

10. STABILITY & REACTIVITY

Provided the product is stored in accordance with the approved guidelines there are no known hazardous decomposition products.

11. TOXICOLOGICAL INFORMATION

Eyes: Irritant.

Skin: Unlikely to be irritant in normal use.

Inhalation: Irritant. Narcotic if high concentrations of vapour are inhaled.

Ingestion: Irritant.

12. ECOLOGICAL INFORMATION

When used for its intended purpose this product should not cause adverse effects in the environment.

13. DISPOSAL CONSIDERATIONS

The undiluted product is classified as <u>hazardous waste</u> with respect to The Hazardous Waste Regulations (2005) and The List of Wastes Regulations (2005). For the disposal of large quantities, contact your licensed waste contractor.

European waste catalogue 20 01 29 Detergents containing dangerous substances

If possible, rinse out the container thoroughly after use and dispose of appropriately as commercial waste, or alternatively dispose of the contaminated container via a licensed waste contractor. Observe all local and regional waste regulations.

14. TRANSPORT INFORMATION

EEC Regulation: F, Alcohols, FLAMMABLE, NOS, (Isopropanol), UN1987, Hazchem 3[Y]

IMDG/UN: Alcohols, NOS, (Isopropanol), UN1987, Class 3, PG III

RID/ADR: Class 3, Item 31(c)

ICAO/IATA: Passenger Aircraft: 309, Y309

Cargo Aircraft 310

15. REGULATORY INFORMATION

Hazard symbol : Xi, IRRITANT

Risk phrases: R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

Safety phrases: S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

Contains d-limonene. May produce an allergic reaction.

16. OTHER INFORMATION

Handle and apply only as recommended, for full information see product information sheet.

Internal Reference:- MSDS6667-01 (29-Jan-2008), BC.HS.Dt23-04

Date: 19/05/2010 Revision Number: 1.02 Page: 2 of 3

Product Name TASKI SPRINT 200 CONC E1a Product Code MSDS6667

Text of risk phrases associated with ingredients listed in section 3.

R10 Flammable.R11 Highly flammable.R22 Harmful if swallowed.

R36 Irritating to eyes.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitization by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.

R67 Vapours may cause drowsiness and dizziness.

Change made to section 4 and 13.

Date: 19/05/2010 Revision Number: 1.02 Page: 3 of 3