

In accordance with REACH Regulation EC No.1907/2006

**Product:** 3 in 1 Channel Blocks - Yellow SAC-CHA-190

Version: 5

#### Section 1. Identification of the substance or the mixture and of the supplier

**1.1 Product Identifier** 

Product identifier: 3 in 1 Channel Blocks - Yellow SAC-CHA-190(Contains:Benzenesulphonic acid, C10-C13 alkyl derivs., sodium salts) Other identifiers:

None

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Channel Blocks** Product uses:

#### 1.3 Details of the supplier of the safety data sheet

Company name:	Sachets Ltd
Company address:	Unit 1 Mount Pleasant Street Oldham OL4 1HH
Contact:	Regulatory Affairs
E-Mail address:	admin@sachetsltd.co.uk
Company phone:	0845 207 4422

#### 1.4 Emergency telephone number

0845 207 4422 Emergency phone:

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification under Regulation (EC) No 1272/2008

0,	Skin Corrosion / Irritation Category 2
danger:	Eye Damage / Irritation Category 1
	H315, Causes skin irritation.
	H318, Causes serious eye damage.

#### 2.2 Label elements

	Classification under Regulation (EC) No 1272/2008
Signal word:	Danger
Hazard statements:	H315, Causes skin irritation. H318, Causes serious eye damage.
Supplemental Information:	EUH208, Contains dl-Citronellol. May produce an allergic reaction.
Precautionary statements:	P102, Keep out of reach of children.



In accordance with REACH Regulation EC No.1907/2006

Product:	3 in 1 Channel Blocks - Yellow SAC-CHA-190				
Version:	5				
Pictograms:	P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310, Immediately call a POISON CENTER or doctor/physician. P332/313, If skin irritation occurs: Get medical advice/attention.				
2.3 Other haz	ards				
Other hazards	s: None				

#### Section 3. Composition / information on ingredients

### 3.2 Mixtures

#### Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Benzenesulphonic acid, C10-C13 alkyl derivs., sodium salts	68411-30-3	270-115-0		10-<20%	Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-Aquatic Chronic 3;H302-H315- H318-H412,-
dl-Citronellol	106-22-9	203-375-0		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-

#### Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Diethyl phthalate	84-66-2	201-550-6		1-<5%	-;-,-

# Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

Inhalation:

Remove from exposure site to fresh air, keep at rest, and obtain medical attention.



In accordance with REACH Regulation EC No.1907/2006

Product:	3 in 1 Channel Blocks - Yellow SAC-CHA-190			
Version:	5			
Eye exposure	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
Skin exposur	e: IF ON SKIN: Wash with plenty of soap and water.			

Ingestion: Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

Causes serious eye damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.



In accordance with REACH Regulation EC No.1907/2006

Product: 3 in 1 Channel Blocks - Yellow SAC-CHA-190

Version: 5

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Channel Blocks: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Diethyl phthalate 84-66-2 201-			Long-term exposure limit (8-hour TWA) (mg/m3)	5
Diethyl phthalate	04-00-2		Short-term exposure limit (15-minute) (mg/m3)	10

#### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.



In accordance with REACH Regulation EC No.1907/2006

Product: 3 in 1 Channel Blocks - Yellow SAC-CHA-190

Version: 5

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Yellow Block
Odour:	Citrus Fragrance
Odour threshold:	Not determined
pH:	6.0 - 8.0
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 100 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Soluble in water.
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected

9.2 Other information:

None available

#### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

## 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

## 10.4 Conditions to avoid:

Temperature: <4°C and >32°C

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.



In accordance with REACH Regulation EC No.1907/2006

Product: 3 in 1 Channel Blocks - Yellow SAC-CHA-190

Version: 5

#### 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 1
Respiratory or skin sensitisation:	Based on available data the classification criteria are not met.
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzenesulphonic acid, C10-C13 alkyl derivs., sodium salts		270-115-0	1080	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

#### Section 12. Ecological information

12.1 Toxicity:	Not available
12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available

### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available



In accordance with REACH Regulation EC No.1907/2006

Product: 3 in 1 Channel Blocks - Yellow SAC-CHA-190

Version: 5

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	None	-			-
IMDG	None	-			-
ADR,RID,ADN	None	-			-
ICAO TI	None	-			-

#### 14.5 Environmental hazards:

Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

#### Section 15. Regulatory information

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** None additional

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

#### Section 16. Other information

Concentration % Limits:	SCI 2=67.02% EDI 1=20.11% EDI 2=6.70%
Total Fractional Values:	SCI 2=1.49 EDI 1=4.97 EDI 2=14.92

#### Key to revisions:

Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients Workplace exposure limits

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3	

#### Sachets Ltd, Unit 1 Mount Pleasant Street, Oldham, OL4 1HH. United Kingdom



In accordance with REACH Regulation EC No.1907/2006

Product: 3 in 1 Channel Blocks - Yellow SAC-CHA-190

#### Version:

5

Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P302/352 IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to P305/351/338 do. Continue rinsing P310 Immediately call a POISON CENTER or doctor/physician. P330 Rinse mouth. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Sens. 1B Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.