

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Bryta Conc Cleaner Degreaser

Revision: 2017-03-20 Version: 01.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Bryta Conc Cleaner Degreaser

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses:

For professional use only.

AISE-P303 - Kitchen cleaner. Manual process

AISE-P304 - Kitchen cleaner. Spray and wipe manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@sealedair.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315) Eye Dam. 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains disodium metasilicate (Sodium Metasilicate), sodium alkylbenzenesulphonate (Sodium Dodecylbenzenesulfonate), alkyl alcohol ethoxylate (C9-11 Pareth-6).

Hazard statements:

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known



SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|--------------------------------------|-------------------------------------|------------|--|--|-------|----------------|
| disodium metasilicate | 215-687-4 | 1344-09-8 | [1] | Skin Corr. 1B (H314) STOT SE 3 (H335) Met. Corr. 1 (H290) | | 3-10 |
| sodium alkylbenzenesulphonate | 290-656-6 | 90194-45-9 | [1] | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) | | 1-3 |
| sodium cumenesulphonate | 239-854-6 | 15763-76-5 | 01-2119489411-37 | Eye Irrit. 2A (H319) | | 1-3 |
| alkyl alcohol ethoxylate | Polymer* | 68439-46-3 | [4] | Acute Tox. 4 (H302) Eye Dam. 1 (H318) | | 1-3 |
| cocoamidopropyl betaine hydrogenated | 604-575-4 931-513-6 931-296-8 | - | 01-2119489410-39 01-2119513359-38 01-2119488533-30 | Eye Dam. 1 (H318) Aquatic Chronic 3 (H412) | | 1-3 |

^{*} Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

- [1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included
- for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required. [2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.
- [3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006. For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated Skin contact: clothing and wash it before re-use. If skin irritation occurs: Get medical advice or attention. Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious Ingestion:

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes irritation.

Eye contact: Causes severe or permanent damage. Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| disodium metasilicate | - | - | - | 0.74 |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| sodium cumenesulphonate | - | - | - | 3.8 |
| alkyl alcohol ethoxylate | - | - | - | - |
| cocoamidopropyl betaine hydrogenated | - | - | - | 7.5 |

DNEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--------------------------------------|----------------------------|--|---------------------------|---|
| disodium metasilicate | No data available | - | No data available | 1.49 |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| sodium cumenesulphonate | - | - | - | 7.6 |
| alkyl alcohol ethoxylate | - | - | - | - |
| cocoamidopropyl betaine hydrogenated | No data available | = | No data available | 12.5 |

DNEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local | | | Long term - Systemic |
|--------------------------------------|--------------------|--------------------|-------------------|----------------------|
| | effects | effects (mg/kg bw) | effects | effects (mg/kg bw) |
| disodium metasilicate | No data available | - | No data available | 0.74 |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| sodium cumenesulphonate | - | - | - | 3.8 |
| alkyl alcohol ethoxylate | - | - | - | - |
| cocoamidopropyl betaine hydrogenated | No data available | - | No data available | 7.5 |

DNEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| disodium metasilicate | - | - | - | 6.22 |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| sodium cumenesulphonate | - | - | - | 3.8 |
| alkyl alcohol ethoxylate | - | - | - | - |
| cocoamidopropyl betaine hydrogenated | - | - | = | 44 |

DNEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| disodium metasilicate | - | - | - | 1.55 |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| sodium cumenesulphonate | - | - | - | 13.2 |
| alkyl alcohol ethoxylate | - | - | - | - |
| cocoamidopropyl betaine hydrogenated | - | - | - | - |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--------------------------------------|-----------------------------|------------------------------|---------------------|-------------------------------|
| disodium metasilicate | 7.5 | 1 | 7.5 | 1000 |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| sodium cumenesulphonate | 0.23 | - | 2.3 | 100 |
| alkyl alcohol ethoxylate | - | - | - | - |
| cocoamidopropyl betaine hydrogenated | 0.0135 | 0.00135 | - | 3000 |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|--------------------------------------|------------------------------|-----------------------------|-------------------|-------------------|
| disodium metasilicate | - | - | 1 | - |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| sodium cumenesulphonate | - | - | - | - |
| alkyl alcohol ethoxylate | - | - | - | - |
| cocoamidopropyl betaine hydrogenated | 1 | 0.1 | 0.8 | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible Train personnel

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166).

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min

Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30

min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 5

Appropriate engineering controls: No special requirements under normal use conditions. Provide a good standard of general

ventilation.

Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection:No special requirements under normal use conditions. **Respiratory protection:**No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid Colour: Clear, Pale, Yellow Odour: Product specific Odour threshold: Not applicable

pH: > 12 (neat) ISO 4316

Not relevant to classification of this product Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|--------------------------------------|-------------------|------------------|----------------------------|
| disodium metasilicate | No data available | | |
| sodium alkylbenzenesulphonate | No data available | | |
| sodium cumenesulphonate | No data available | | |
| alkyl alcohol ethoxylate | > 232.2 | Method not given | |
| cocoamidopropyl betaine hydrogenated | 100 | Method not given | |

Method / remark

Flash point (°C): Not applicable. Sustained combustion: Not applicable. Evaporation rate: Not determined

Flammability (solid, gas): Not applicable to liquids Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Not relevant to classification of this product

Method / remark

Vapour pressure: Not determined See substance data

Substance data, vapour pressure

| Ingredient(s) | Value | Method | Temperature |
|--------------------------------------|-------------------|------------------|-------------|
| | (Pa) | | (°C) |
| disodium metasilicate | No data available | | |
| sodium alkylbenzenesulphonate | No data available | | |
| sodium cumenesulphonate | No data available | | |
| alkyl alcohol ethoxylate | < 10 | Method not given | 37.8 |
| cocoamidopropyl betaine hydrogenated | .? | Method not given | 20 |

Method / remark

Not relevant to classification of this product

OECD 109 (EU A.3)

Vapour density: Not determined Relative density: ≈ 1.10 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|--------------------------------------|-------------------|------------------|---------------------|
| disodium metasilicate | 350 | Method not given | 20 |
| sodium alkylbenzenesulphonate | No data available | | |
| sodium cumenesulphonate | 493 Soluble | Method not given | 20 |
| alkyl alcohol ethoxylate | 100 Soluble | Method not given | |
| cocoamidopropyl betaine hydrogenated | > .? Soluble | Method not given | 20 |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. Oxidising properties: Not oxidising

Not relevant to classification of this product

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Not corrosive

Not relevant to classification of this product

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with water and acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s): ATE - Oral (mg/kg): >5000

Skin irritation and corrosivity

Result: Not corrosive Method: OECD 431 (EU B.40 bis), Episkin

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|--------------------------------------|----------|----------------------|---------|------------------|-------------------|
| disodium metasilicate | LD 50 | 770 - 820 | Mouse | Method not given | |
| sodium alkylbenzenesulphonate | | No data available | | | |
| sodium cumenesulphonate | LD 50 | > 7000 | Rat | Method not given | |
| alkyl alcohol ethoxylate | LD 50 | 300 - 2000 | | Method not given | |
| cocoamidopropyl betaine hydrogenated | LD 50 | 2430 | Rat | Method not given | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|--------------------------------------|----------|----------------------|---------|-------------------|-------------------|
| disodium metasilicate | | No data available | | | |
| sodium alkylbenzenesulphonate | | No data available | | | |
| sodium cumenesulphonate | LD 50 | > 2000 | Rabbit | Method not given | |
| alkyl alcohol ethoxylate | LD 50 | 2000 - 5000 | Rat | Method not given | |
| cocoamidopropyl betaine hydrogenated | LD 50 | > 5000 | Rat | OECD 402 (EU B.3) | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------------------|----------|----------------------|---------|------------------|-------------------|
| disodium metasilicate | | No data available | | | |
| sodium alkylbenzenesulphonate | | No data available | | | |
| sodium cumenesulphonate | | No data available | | | |
| alkyl alcohol ethoxylate | | No data available | | | |
| cocoamidopropyl betaine hydrogenated | LC 50 | > 5 (mist) | Rat | Method not given | 4 |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------|-------------------|---------|------------------|---------------|
| disodium metasilicate | Corrosive | | Method not given | |
| sodium alkylbenzenesulphonate | No data available | | | |

| sodium cumenesulphonate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
|--------------------------------------|--------------|--------|-------------------|--|
| alkyl alcohol ethoxylate | Not irritant | | Method not given | |
| cocoamidopropyl betaine hydrogenated | Not irritant | Rabbit | OECD 404 (EU B.4) | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------------------|-------------------|---------|-------------------|---------------|
| disodium metasilicate | Corrosive | | Method not given | |
| sodium alkylbenzenesulphonate | No data available | | | |
| sodium cumenesulphonate | Irritant | Rabbit | OECD 405 (EU B.5) | |
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Method not given | |
| cocoamidopropyl betaine hydrogenated | Severe damage | Rabbit | OECD 405 (EU B.5) | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------------------|-------------------|---------|--------|---------------|
| disodium metasilicate | No data available | | | |
| sodium alkylbenzenesulphonate | No data available | | | |
| sodium cumenesulphonate | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |
| cocoamidopropyl betaine hydrogenated | No data available | | | |

Sensitisation Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--------------------------------------|-------------------|------------|-----------------------------|-------------------|
| disodium metasilicate | No data available | | | |
| sodium alkylbenzenesulphonate | No data available | | | |
| sodium cumenesulphonate | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| alkyl alcohol ethoxylate | Not sensitising | Guinea pig | Method not given | |
| cocoamidopropyl betaine hydrogenated | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------------------|-------------------|---------|--------|---------------|
| disodium metasilicate | No data available | | | |
| sodium alkylbenzenesulphonate | No data available | | | |
| sodium cumenesulphonate | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |
| cocoamidopropyl betaine hydrogenated | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--------------------------------------|---|--------------------------------------|---|-----------------------|
| disodium metasilicate | No data available | | No data available | |
| sodium alkylbenzenesulphonate | No data available | | No data available | |
| sodium cumenesulphonate | No evidence for mutagenicity, negative test results | | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |
| alkyl alcohol ethoxylate | No evidence for mutagenicity, negative test results | OECD 473 | No data available | |
| cocoamidopropyl betaine hydrogenated | | OECD 471 (EU B.12/13) OECD 476 | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |

Carcinogenicity

| Ingredient(s) | Effect |
|--------------------------------------|--|
| disodium metasilicate | No data available |
| sodium alkylbenzenesulphonate | No data available |
| sodium cumenesulphonate | No evidence for carcinogenicity, negative test results |
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, negative test results |
| cocoamidopropyl betaine hydrogenated | No evidence for carcinogenicity, weight-of-evidence |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|--------------------------------------|----------|---------------------|-----------------------|---------|-----------------------|---------------|---|
| disodium metasilicate | | | No data available | | | | |
| sodium alkylbenzenesulphonat e | | | No data available | | | | |
| sodium cumenesulphonate | NOAEL | Teratogenic effects | > 936 | Rat | Non guideline test | | No known significant effects or critical hazards |
| alkyl alcohol ethoxylate | NOAEL | | > 250 | Rat | Not known | | No effects on fertility No developmental toxicity |

| cocoamidopropyl | NOEL | Developmental toxicity | 300 | Rat | OECD 414 | |
|----------------------|------|------------------------|-----|-----|------------|--|
| betaine hydrogenated | | | | | (EU B.31), | |
| | | | | | oral | |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--------------------------------------|----------|-----------------------|---------|-----------------------|----------------------|---|
| disodium metasilicate | NOAEL | > 227 - 237 | Rat | Method not given | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| sodium cumenesulphonate | NOAEL | 763 - 3534 | Rat | OECD 408 (EU B.26) | | No effects observed |
| alkyl alcohol ethoxylate | NOAEL | 80 - 400 | | Method not given | | |
| cocoamidopropyl betaine hydrogenated | NOAEL | 300 | Rat | OECD 408 (EU B.26) | 90 | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--------------------------------------|----------|-----------------------|---------|-----------------------|----------------------|--------------------------------------|
| disodium metasilicate | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| alkyl alcohol ethoxylate | NOAEL | 80 | | OECD 411 (EU B.28) | 90 | |
| cocoamidopropyl betaine hydrogenated | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--------------------------------------|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| disodium metasilicate | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| cocoamidopropyl betaine hydrogenated | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|---|----------------|----------|-----------------------|---------|--------|---------------|---|--------|
| disodium metasilicate | | | No data available | | | | | |
| sodium alkylbenzenesulphonat e | | | No data available | | | | | |
| sodium cumenesulphonate | | | No data available | | | | | |
| alkyl alcohol ethoxylate | | | No data available | | | | | |
| cocoamidopropyl betaine hydrogenated | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|--------------------------------------|-------------------|
| disodium metasilicate | No data available |
| sodium alkylbenzenesulphonate | No data available |
| sodium cumenesulphonate | No data available |
| alkyl alcohol ethoxylate | No data available |
| cocoamidopropyl betaine hydrogenated | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--------------------------------------|-------------------|
| disodium metasilicate | No data available |
| sodium alkylbenzenesulphonate | No data available |
| sodium cumenesulphonate | No data available |
| alkyl alcohol ethoxylate | No data available |
| cocoamidopropyl betaine hydrogenated | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

| riquatic short term toxicity high | | | | | |
|--------------------------------------|----------|----------------------|----------------------|-------------------------------|-------------------|
| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
| disodium metasilicate | LC 50 | 210 | Brachydanio rerio | Method not given | 96 |
| sodium alkylbenzenesulphonate | | No data available | | | |
| sodium cumenesulphonate | LC 50 | > 1000 | Fish | EPA-OPPTS 850.1075 | 96 |
| alkyl alcohol ethoxylate | LC 50 | 5 - 7 | Fish | 92/69/EEC, C1, semi-static | 96 |
| cocoamidopropyl betaine hydrogenated | LC 50 | 1.11 | Fish | OECD 203, semi-static | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------------------|----------|----------------------|-------------------------|-------------------|-------------------|
| disodium metasilicate | EC 50 | 1700 | Daphnia | Method not given | 48 |
| sodium alkylbenzenesulphonate | | No data available | | | |
| sodium cumenesulphonate | EC 50 | > 100 | Daphnia magna Straus | OECD 202 (EU C.2) | 48 |
| alkyl alcohol ethoxylate | EC 50 | 5.3 | Daphnia | 92/69/EEC | 48 |
| cocoamidopropyl betaine hydrogenated | EC 50 | 1.9 | Daphnia | OECD 202, static | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------------------|----------|----------------------|--------------------------|--------------------|-------------------|
| disodium metasilicate | EC 50 | 207 | Chlorella pyrenoidosa | Method not given | 72 |
| sodium alkylbenzenesulphonate | | No data available | | | |
| sodium cumenesulphonate | EC 50 | > 230 | Not specified | EPA OPPTS 850.5400 | 96 |
| alkyl alcohol ethoxylate | EC 50 | 1.4 - 47 | Not specified | 92/69/EEC | 72 |
| cocoamidopropyl betaine hydrogenated | Er C 50 | 2.4 | Not specified | Method not given | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|--------------------------------------|----------|----------------------|---|-----------|----------------------|
| disodium metasilicate | | No data available | | | = |
| sodium alkylbenzenesulphonate | | No data available | | | |
| sodium cumenesulphonate | | No data available | | | = |
| alkyl alcohol ethoxylate | | No data available | | | - |
| cocoamidopropyl betaine hydrogenated | ErC 50 | 0.74 | Skeletonema costatum Phaeodactylum tricornutum | ISO 10253 | 72 |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|--------------------------------------|----------|----------------------|------------------|--------------------------------|---------------|
| disodium metasilicate | EC 50 | > 100 | Activated sludge | Method not given | 3 hour(s) |
| sodium alkylbenzenesulphonate | | No data available | | | |
| sodium cumenesulphonate | Er C 50 | > 1000 | Bacteria | OECD 209 | 3 hour(s) |
| alkyl alcohol ethoxylate | EC 50 | > 140 | Bacteria | Method not given | 3 hour(s) |
| cocoamidopropyl betaine hydrogenated | EC 50 | 3000 | Bacteria | ISO 13641 (2003), anaerobic | 16 hour(s) |

Aquatic long-term toxicity
Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--------------------------------------|----------|-------------------|------------------------|------------------|---------------|------------------|
| disodium metasilicate | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| alkyl alcohol ethoxylate | EC 10 | 8.983 | Not specified | Method not given | 21 day(s) | |
| cocoamidopropyl betaine hydrogenated | NOEC | 0.135 | Oncorhynchus mykiss | OECD 210 | 100 day(s) | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--------------------------------------|----------|----------------------|------------------|------------------|---------------|------------------|
| disodium metasilicate | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| alkyl alcohol ethoxylate | EC 10 | 2.579 | Daphnia sp. | Method not given | 21 day(s) | |
| cocoamidopropyl betaine hydrogenated | NOEC | 0.3 | Daphnia magna | OECD 211 | 21 day(s) | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------------------|----------|---------------------------------|---------|--------|----------------------|------------------|
| disodium metasilicate | | No data available | | | - | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | - | |
| alkyl alcohol ethoxylate | | No data available | | | - | |
| cocoamidopropyl betaine hydrogenated | | No data available | | | - | |

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|--------------------------------------|----------|----------------------|---------|--------|-------------|------------------|
| (-) | | (mg/kg dw soil) | ., | | time (days) | |
| disodium metasilicate | | No data available | | | - | |
| sodium cumenesulphonate | | No data available | | | - | |
| alkyl alcohol ethoxylate | | No data available | | | - | |
| cocoamidopropyl betaine hydrogenated | | No data available | | | - | |

Terrestrial toxicity - plants if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| disodium metasilicate | | No data available | | | - | |
| sodium cumenesulphonate | | No data available | | | - | |
| alkyl alcohol ethoxylate | | No data available | | | - | |
| cocoamidopropyl betaine hydrogenated | | No data available | | | - | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|--------------------------------------|----------|-----------|---------|--------|----------------------|------------------|
| disodium metasilicate | | No data | | | - | |
| | | available | | | | |
| sodium cumenesulphonate | | No data | | | - | |
| | | available | | | | |
| alkyl alcohol ethoxylate | | No data | | | - | |
| | | available | | | | |
| cocoamidopropyl betaine hydrogenated | | No data | | | - | |
| | | available | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| disodium metasilicate | | No data available | | | - | |
| sodium cumenesulphonate | | No data available | | | - | |
| alkyl alcohol ethoxylate | | No data available | | | - | |
| cocoamidopropyl betaine hydrogenated | | No data available | | | - | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| disodium metasilicate | | No data available | | | = | |
| sodium cumenesulphonate | | No data available | | | - | |
| alkyl alcohol ethoxylate | | No data available | | | - | |
| cocoamidopropyl betaine hydrogenated | | No data available | | | - | |

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

BiodegradationReady biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|--------------------------------------|----------|----------------------------|----------------------------|------------------|--------------------------------------|
| disodium metasilicate | | | | | Not applicable (inorganic substance) |
| sodium alkylbenzenesulphonate | | | | | No data available |
| sodium cumenesulphonate | | CO ₂ production | 103 - 109% in 28 day(s) | OECD 301B | Readily biodegradable |
| alkyl alcohol ethoxylate | | | 60 % in 28 day(s) | Method not given | Readily biodegradable |
| cocoamidopropyl betaine hydrogenated | | | 95 % in 28 day(s) | Method not given | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|--------------------------------------|---------------|-------------------|------------------|----------|-----------------------|
| cocoamidopropyl betaine hydrogenated | | | 76% in 28 day(s) | OECD 306 | Readily biodegradable |

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential Partition coefficient p-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|--------------------------------------|-------------------|------------------|------------------------------------|--------|
| disodium metasilicate | No data available | | | |
| sodium alkylbenzenesulphonate | No data available | | | |
| sodium cumenesulphonate | -1.1 | Method not given | No bioaccumulation expected | |
| alkyl alcohol ethoxylate | 3.11 - 4.19 | Method not given | High potential for bioaccumulation | |
| cocoamidopropyl betaine hydrogenated | 4.2 | Method not given | Low potential for bioaccumulation | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Chasias | Method | Evaluation | Damark |
|--------------------------------------|-------------------|---------|------------------|------------------------------------|--------|
| Ingredient(s) | value | Species | wethod | Evaluation | Remark |
| disodium metasilicate | No data available | | | | |
| sodium | No data available | | | | |
| alkylbenzenesulphonat | | | | | |
| е | | | | | |
| sodium | No data available | | | | |
| cumenesulphonate | | | | | |
| alkyl alcohol ethoxylate | < 500 | | Method not given | High potential for bioaccumulation | |
| cocoamidopropyl betaine hydrogenated | 3 - 71 | | Method not given | Low potential for bioaccumulation | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|--------------------------------------|--------------------------------------|---|--------|-----------------------|--|
| disodium metasilicate | No data available | | | | |
| sodium alkylbenzenesulphonate | No data available | | | | |
| sodium cumenesulphonate | No data available | | | | |
| alkyl alcohol ethoxylate | No data available | | | | Potential for mobility in soil, soluble in water |
| cocoamidopropyl betaine hydrogenated | No data available | | | | Potential for mobility in soil, soluble in water |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

European Waste Catalogue:

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation. 20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

• Regulation (EC) No. 1907/2006 - REACH

Regulation (EC) No 1272/2008 - CLP

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

phosphates anionic surfactants, non-ionic surfactants, amphoteric surfactants Formaldehyde

5 - 15 %

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1003498 Version: 01.1 Revision: 2017-03-20

Reason for revision:

Overall design adjusted in accordance with Amendment 453/2010, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 3, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage. H315 Causes skin irritation.
- H318 Causes serious eye damage.H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

- Abbreviations and acronyms:
 AISE The international Association for Soaps, Detergents and Maintenance Products
 DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate

End of Safety Data Sheet