

SAFETY DATA SHEET LIFEGUARD 3 IN 1 TOILET CLEANER

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name LIFEGUARD 3 IN 1 TOILET CLEANER

Product number LG3WT1LTR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Toilet Cleaner

1.3. Details of the supplier of the safety data sheet

Supplier

Deb Ltd

Denby Hall Way

Denby Derbyshire DE5 8JZ

Main Tel. 01773 855100 Technical Tel 01773 855105

reach@deb.co.uk

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)

National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1B - H314 Eye Irrit. 2 - H319

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P280 Wear protective clothing, gloves, eye and face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.

Contains PHOSPHORIC ACID

Detergent labelling < 5% cationic surfactants, < 5% non-ionic surfactants, Contains ALPHA-

ISOMETHYLIONONE, CITRONELLOL, LIMONENE

2.3. Other hazards

None.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

PHOSPHORIC ACID 1-5%

CAS number: 7664-38-2 EC number: 231-633-2 REACH registration number: 01-

2119485924-24-XXXX

Classification

Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318

ALCOHOL (C9-C11) ETHOXYLATE (6EO)

1-5%

CAS number: 68439-45-2

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

<1%

CAS number: 68424-85-1 EC number: 270-325-2 REACH registration number: 01-

2119970550-39-XXXX

M factor (Acute) = 10 M factor (Chronic) = 1

Classification

Met. Corr. 1 - H290 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. Get medical attention if any

discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention immediately.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after

washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention

immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctorTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

None known.

5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

Special protective equipment

for firefighters

Wear chemical protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment. The product may affect the acidity (pH) of water

which may have hazardous effects on aquatic organisms. Collect and dispose of spillage as

indicated in Section 13.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in

vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty

of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid spilling. Avoid contact with skin and eyes. Usage precautions

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 0°C and 30°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

PHOSPHORIC ACID (CAS: 7664-38-2)

DNEL Workers - Inhalation; Long term local effects: 1 mg/m3

Workers - Inhalation; Short term local effects: 2 mg/m3

General population - Inhalation; Long term local effects: 0.73 mg/m3

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE (CAS: 68424-85-1)

DNEL Workers - Inhalation; Long term systemic effects: 3.96 mg/m³

Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day

General population - Inhalation; Long term systemic effects: 1.64 mg/m³ General population - Dermal; Long term systemic effects: 3.4 mg/kg/day General population - Oral; Long term systemic effects: 3.4 mg/kg/day

PNEC - Fresh water; 0.0009 mg/l

- Marine water; 0.00096 mg/l

- Intermittent release; 0.00016 mg/l

- STP; 0.4 mg/l

- Sediment (Freshwater); 12.27 mg/kg - Sediment (Marinewater); 13.09 mg/kg

- Soil; 7 mg/kg

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. It is recommended that gloves are made of

the following material: Rubber (natural, latex).

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Provide eyewash station and safety shower. Wash promptly if skin becomes contaminated.

Promptly remove any clothing that becomes contaminated. Do not eat, drink or smoke when

using this product.

Respiratory protection No specific recommendations.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Blue.

Odour Perfume.

Odour threshold Not determined.

pH pH (concentrated solution): 1.3

Melting point Not determined.

Initial boiling point and range Not determined.

Flash point Not applicable.

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour densityNot determined.Relative densityNot determined.Solubility(ies)Soluble in water.Partition coefficientNot determined.Auto-ignition temperatureNot applicable.

Decomposition Temperature Not determined.

Viscosity Not determined.

Explosive properties Not applicable.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Alkalis. Chemically-active metals.

Inorganic halides. Oxidising agents. Isocyanates.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

dous Not known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with the following materials:

Strong alkalis. Oxidising materials.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Acid-reactive materials. Alkalis. Inorganic halides. Isocyanates.

chlorine-based bleaching agents

10.6. Hazardous decomposition products

Hazardous decomposition

No known hazardous decomposition products.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 8,693.69

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Risk of serious damage to eyes.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisationBased on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

6/10

Inhalation May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

Ingestion May cause chemical burns in mouth, oesophagus and stomach.

Skin contact Liquid may irritate skin.

Eye contact May cause chemical eye burns.

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 795.0

mg/kg)

Species Rat Rat

ATE oral (mg/kg) 795.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 1,560.0

mg/kg)

Species Rat

ATE dermal (mg/kg) 1,560.0

Skin corrosion/irritation

Animal data Primary dermal irritation index: 6.29

SECTION 12: Ecological Information

Ecotoxicity The product may affect the acidity (pH) of water which may have hazardous effects on aquatic

organisms.

12.1. Toxicity

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

Acute aquatic toxicity

LE(C)₅₀ $0.01 < L(E)C50 \le 0.1$

M factor (Acute) 10

Acute toxicity - fish LC50, < 96 hours: 1 mg/l,

Acute toxicity - aquatic

invertebrates

EC₅o, < 48 hours: 1 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅o, < 48 hours: 1 mg/l, Freshwater algae

Acute toxicity -

microorganisms

EC₅o, 3 hours: 7.75 mg/l, Activated sludge

Acute toxicity - terrestrial

NOEC, 14 days: 1000 mg/l, mg/kg, Eisenia Fetida (Earthworm)

Chronic aquatic toxicity

M factor (Chronic) 1

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility Mobile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered. Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Residues and empty containers should be taken care of as hazardous waste according to

local and national provisions.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1760

UN No. (IMDG) 1760

UN No. (ICAO) 1760

UN No. (ADN) 1760

14.2. UN proper shipping name

Proper shipping name (ADR/RID)

CORROSIVE LIQUID, N.O.S. (CONTAINS PHOSPHORIC ACID , ALKYL BENZYL

DIMETHYL AMMONIUM CHLORIDE)

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S. (CONTAINS PHOSPHORIC ACID, ALKYL BENZYL

DIMETHYL AMMONIUM CHLORIDE)

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S. (CONTAINS PHOSPHORIC ACID, ALKYL BENZYL

DIMETHYL AMMONIUM CHLORIDE)

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S. (CONTAINS PHOSPHORIC ACID, ALKYL BENZYL

DIMETHYL AMMONIUM CHLORIDE)

14.3. Transport hazard class(es)

ADR/RID class

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8
ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ADN packing group II
ICAO packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Commission Direction

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Only trained personnel should use this material.

Revision comments This is first issue.

SDS number 21518

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Notes for Hazard Statements

The full text for Hazard Statements in section 16 relates to the reference numbers in sections

in Full 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.