

The logo for Prochem, featuring the word "PROCHEM" in white, bold, sans-serif capital letters on a blue rectangular background.

SAFETY DATA SHEET STONE & TILE CLEAN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name STONE & TILE CLEAN

Product number A257

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A mildly acidic blend of detergents and solvents designed for cleaning and Restoring interior stone and tile floors and other tile surfaces. Stone & Tile Clean is suitable for use on quarry tiles, ceramic tiles, porcelain and other acid resistant stone and tile interior flooring and surfaces, subject to pre-testing.
Stone & Tile Clean will effectively remove limescale, grout stains, general soil and grease.

1.3. Details of the supplier of the safety data sheet

Supplier www.prochem.co.uk
Prochem Europe Ltd
Oakcroft Road
Chessington
Surrey
KT9 1RH
Telephone: 020 8974 1515
Fax: 020 8974 1511
sales@prochem.co.uk

1.4. Emergency telephone number

Emergency telephone 020 8974 1515 (office hours 8am to 5pm Monday to Friday) 24 hr emergency number +44 1235 239670. Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held. For Republic of Ireland contact the NPIC: 01 837 9964 or 01 809 2566.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

Human health Causes serious eye irritation. Considered to be a low inhalation hazard at normal workplace temperatures. Gas or vapour in high concentrations may irritate the respiratory system. Ingestion may cause: Nausea, vomiting. May cause chemical burns in mouth and throat. May cause drowsiness or dizziness.

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

STONE & TILE CLEAN

Hazard pictograms



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.
 P262 Do not get in eyes, on skin, or on clothing.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/ doctor.

Detergent labelling

< 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

(2-Methoxymethylethoxy)propanol

1-5%

CAS number: 34590-94-8

EC number: 252-104-2

REACH registration number: 01-2119450011-60-XXXX

Substance with a Community workplace exposure limit.

Classification

Not Classified

Phosphoric acid ...%

<1%

CAS number: 7664-38-2

EC number: 231-633-2

Classification

Met. Corr. 1 - H290
 Acute Tox. 4 - H302
 Skin Corr. 1B - H314
 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

Ingestion

Give a few small glasses of water or milk to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting.

STONE & TILE CLEAN

Skin contact Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments IF IN EYES: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. IF SWALLOWED: Get medical attention immediately.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with the following media: Water spray, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of phosphorus. Phosphoric acid mist.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 5°C and 30°C. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

STONE & TILE CLEAN

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

(2-Methoxymethylethoxy)propanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m³

Sk

Phosphoric acid ...%

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Side shield safety glasses are recommended when handling this product.

Hand protection

Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.

Hygiene measures

Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Respiratory protection

Considered to be a low inhalation hazard at normal workplace temperatures. No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Green-yellow.
Odour	Ocean breeze.
Odour threshold	Not determined.
pH	pH (concentrated solution): 2.1 pH (diluted solution): 2.5
Melting point	Not determined.
Initial boiling point and range	100°C
Flash point	Not applicable.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.

STONE & TILE CLEAN

Vapour density	Not determined.
Relative density	1.01
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not determined.
---	-----------------

10.4. Conditions to avoid

Conditions to avoid	Protect from freezing and direct sunlight. Store in closed original container at temperatures between 5°C and 30°C.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Strong alkalis. Strong oxidising agents. Metals.
---------------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon.
---	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Considered to be a low inhalation hazard at normal workplace temperatures. Excessive inhalation of spray, mist or vapour may cause temporary respiratory irritation. The product irritates mucous membranes and may cause abdominal discomfort if swallowed. Ingestion may cause: Nausea, vomiting. May cause chemical burns in mouth and throat. May cause drowsiness or dizziness.
------------------------------	--

Skin corrosion/irritation

Skin corrosion/irritation	May cause skin irritation.
----------------------------------	----------------------------

Serious eye damage/irritation

Serious eye damage/irritation	Causes serious eye irritation.
--------------------------------------	--------------------------------

Skin sensitisation

STONE & TILE CLEAN

Skin sensitisation	None known.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vivo	No effects expected based upon current data.
<u>Carcinogenicity</u>	
Carcinogenicity	No effects expected based upon current data.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	No effects expected based upon current data.

Toxicological information on ingredients.

(2-Methoxymethylethoxy)propanol

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,135.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 20.0

Species Rabbit

Phosphoric acid ...%

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 301.0

Species Rat

ATE oral (mg/kg) 301.0

SECTION 12: Ecological information

12.1. Toxicity

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >10000 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 1919 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: >969 mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

Ecological information on ingredients.

STONE & TILE CLEAN

(2-Methoxymethylethoxy)propanol

Chemical oxygen demand 2.02

12.3. Bioaccumulative potential

Bioaccumulative potential Not determined.

Partition coefficient Not determined.

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Partition coefficient : 1.01

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Avoid discharge to the aquatic environment. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

None.

14.3. Transport hazard class(es)

ADR/RID class -

IMDG class -

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

STONE & TILE CLEAN

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	REACH Regulation UK SI 2019/758, as amended, and UK SI 2020/1577. GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567. Detergents (Amendment) (EU Exit) Regulations UK SI 2020/1617. The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	Telephone 020 8974 1515
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	16/12/2020
Revision	6
Supersedes date	28/03/2019
Please note:	Where abbreviations have been used elsewhere the full text has been written below, for the classification of the product please refer to section 2.
Hazard statements in full	H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation.
Signature	Aaron Saunders

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.